



# KRUT LED™

Product Catalog

2020

## **OUR COMPANY STORY**

Dr. Ish Patel, an Electrical Engineer, founded KRUTLED™ in 2013. Since the inception of the company 7 years ago, KRUTLED™ always strives to bring in innovative and best quality products in the market. KRUTLED™ only manufactures/ distribute UL/ETL certified lights and committed to make retrofit and new installation simple and worry free. KRUTLED™ designs and develop new state of the art and best in class products for particular segment and get them patented. KRUTLED™ annual turnover was over 3M in 2018 and is growing rapidly. KRUT LED™ has 30,000 sq ft. distribution warehouse in Anderson, SC and employs 15 people both directly and indirectly.

At KRUTLED™ we strive to carry most efficient LED lights for more savings of energy. KRUT LED™ had over 1000 products DLC and Energy Star Certified under its brand name "KRUTLED". KRUT LED™ also enjoys over 3000 satisfied customers spread across the states of SC/NC/GA/TN/VA/OH/KY/IN/FL. KRUT LED™ is partnered with Duke Energy, SCE&G, BGE, Georgia Power, AEP for providing rebate benefits to our customers

## **OUR COMMITMENT TO YOU**

"Our commitment is towards providing unique and high quality lighting solutions to our customers with our broad spectrum of products. Continuous analysis of the customer needs and contributing towards their different needs helps us to introduce new products with the latest lighting technologies and designs. We strive to deliver certified and high quality / long-lasting products with competitive pricing. We are focused on providing best in class customer service with a team of highly experienced lighting professionals.

Our sales and technical teams are committed to delivery of the best and most innovative lighting products for our customers."

## LED INTERIOR LIGHTING

### LED HIGHBAY



UFO Style . . . . . 2-3



Linear Style . . . . . 4-5

### LED LAY-IN FIXTURES

LED Panel . . . . . 6  
Back-lit Panel  
Edge-lit Panel

LED Troffer . . . . . 7

### LED LINEAR FIXTURES

LED Tube Fixtures . . . . . 8

LED Wraparound . . . . . 8

LED Strip Down only . . . . . 9-10  
LED Stripe Up/Down Light

LED Vapor Tight Light . . . . . 10

LED Batten Light . . . . . 11

LED Architectural Light . . . . . 12

### LED TUBES

LED Tubes . . . . . 13

LED T5 Tubes . . . . . 13

LED Single-Pin Tubes . . . . . 13

LED HO Tubes . . . . . 14

### LED COOLER LIGHTS

Cooler Door Light . . . . . 14

### LED BULBS



All Bulb . . . . . 15

## LED DOWN LIGHTS



Down light with J-Box . . . . . 16



Round/Square Down Light. . . . . 17



Gum-Ball Down Light . . . . . 17



Internal Driver Flat Panel . . . . . 18



External Driver Flat Panel . . . . . 18

## LED EXTERIOR LIGHTING

### LED AREA LIGHT



Parking Lot Light . . . . . 20



All Mounting Options . . . . . 21



LED Post Top Light . . . . . 21

### LED CANOPY LIGHTS



Slim Canopy . . . . . 22



Round Canopy . . . . . 22



Square Canopy . . . . . 23



23° External Driver Plate Canopy . . . . . 23



LED Soffit Canopy . . . . . 24

### LED WALLPACK LIGHTS



Mini Wallpacks . . . . . 25



Semi Cut-Off Wallpack . . . . . 26



Full Cut-Off Wallpack . . . . . 27

### LED FLOOD LIGHT



Flood Lights. . . . . 27

## LED SCENCE LIGHT



UP/DOWN or only DOWN Wall Sconce Light . . . . . 28

## LED BARN AND GOOSENECK LIGHT



LED Barn Light . . . . . 29



LED Gooseneck Light . . . . . 30

## LED RETROFIT KITS



LED Retro Light . . . . . 31

## ALL CORN LAMPS



All Corn Lamps . . . . . 31-32

## LED SIGNS AND SIGN TUBES



LED Gas Price Changers . . . . . 34



LED Sign Tubes Generation 1 . . . . . 35



LED Sign Tubes Generation 2 . . . . . 35



LED Digital Signs. . . . . 36-37

## LED BACK-LIT MIRRORS



Variety Sizes of LED Mirrors. . . . . 39-40

## LED SPORTS FIELD LIGHTING



All Sport Field Lights . . . . . 42-43




Exterior Highbay . . . . . 44

**COMING SOON . . . . . 45**

# UFO HIGHBAYS

**Get Quote**

**DIMENSIONS**



	130LM/W
<b>100W</b>	Power 100W Lumen output 13000LM Input Voltage 100-277V
<b>150W</b>	Power 150W Lumen output 19500LM Input Voltage 100-277V
<b>200W</b>	Power 200W Lumen output 26000LM Input Voltage 100-277V

	165LM/W
<b>100W</b>	Power 100W Lumen output 16500LM Input Voltage 100-277V
<b>150W</b>	Power 150W Lumen output 24750LM Input Voltage 100-277V
<b>200W</b>	Power 200W Lumen output 33000LM Input Voltage 100-277V

	180LM/W
<b>100W</b>	Power 100W Lumen output 20000LM Input Voltage 100-277V
<b>150W</b>	Power 150W Lumen output 27000LM Input Voltage 100-277V
<b>200W</b>	Power 200W Lumen output 36000LM Input Voltage 100-277V

**THREE DIFFERENT LUMEN OUTPUT OPTIONS**

**AREA S OF APPLICATION**



Warehouse



Hall



Factories



Sport field

# UFO HIGH TEMP 65C HIGHBAY

[Get Quote](#)



150W

Dimension 14.4" x 7.1"  
 Power 150W  
 Lumen output 21000LM  
 Input Voltage 100-277V

200W

Dimension 15.7" x 7.8"  
 Power 200W  
 Lumen output 28000LM  
 Input Voltage 100-277V

260W

Dimension 15.7" x 7.8"  
 Power 260W  
 Lumen output 36400LM  
 Input Voltage 100-277V

# UFO FOOD SAFE HIGHBAYS

[Get Quote](#)

Power 100W  
 Lumen output 12880LM  
 Input Voltage 100-277V

100W

Power 150W  
 Lumen output 19320LM  
 Input Voltage 100-277V

150W

Power 200W  
 Lumen output 25760LM  
 Input Voltage 100-277V

200W



# LINEAR HIGH LUMEN HIGHBAY

[Get Quote](#)



<b>100W</b>	Power 100W Lumen output 16000LM Input Voltage 100-277V	<b>2'</b>
<b>165W</b>	Power 165W Lumen output 26400LM Input Voltage 100-277V	<b>2'</b>
<b>200W</b>	Power 200W Lumen output 32000LM Input Voltage 100-277V	<b>4'</b>

# LINEAR MAGIC LINE HIGHBAY

[Get Quote](#)

Power 100W Lumen output 13000LM Input Voltage 100-277V	<b>100W</b>
Power 120W Lumen output 15000LM Input Voltage 100-277V	<b>120W</b>
Power 150W Lumen output 19500LM Input Voltage 100-277V	<b>150W</b>
Power 180W Lumen output 23400LM Input Voltage 100-277V	<b>180W</b>
Power 200W Lumen output 26000LM Input Voltage 100-277V	<b>200W</b>
Power 240W Lumen output 31000LM Input Voltage 100-277V	<b>240W</b>



<b>300W</b>	Power 300W Lumen output 39000LM Input Voltage 100-277V
<b>400W</b>	Power 400W Lumen output 52000LM Input Voltage 100-277V
<b>600W</b>	Power 600W Lumen output 78000LM Input Voltage 100-277V

# LINEAR SKY LINE HIGHBAY

[Get Quote](#)



100W	Power 100W Lumen output 13000LM Input Voltage 100-277V
150W	Power 150W Lumen output 19500LM Input Voltage 100-277V
200W	Power 200W Lumen output 26000LM Input Voltage 100-277V
320W	Power 320W Lumen output 41600 Input Voltage 100-277V

# LINEAR STRIP HIGHBAY

[Get Quote](#)


Power 100W Lumen output 12000LM Input Voltage 100-277V	100W
Power 150W Lumen output 17500LM Input Voltage 100-277V	150W
Power 200W Lumen output 24000LM Input Voltage 100-277V	200W



# LED PANELS

[Get Quote](#)

## BACK-LIT PANELS



1' x 4'

Model No. KLBP1-40W-XXXX  
 Dimension 1X4 BACK-LIT PANEL  
 Power 40W  
 Lumen output 4200/5000LM  
 Input Voltage 100-277V

2' x 2'

Model No. KLBP4-40W-XXXX  
 Dimension 2X2 BACK-LIT PANEL  
 Power 40W  
 Lumen output 4200/5000LM  
 Input Voltage 100-277V

2' x 4'

Model No. KLBP7-50W-XXXX  
 Dimension 2X4 BACK-LIT PANEL  
 Power 50W  
 Lumen output 5250/6250LM  
 Input Voltage 100-277V

## EDGE-LIT PANELS



1' x 4'

Model No. KLB32PLXX14-P  
 Dimension 1X4 EDGE-LIT PANEL  
 Power 32W  
 Lumen output 3220/1460LM  
 Input Voltage 100-277V

2' x 2'

Model No. KLB32PLDXX22-P  
 Dimension 2X2 EDGE-LIT PANEL  
 Power 32W  
 Lumen output 3125LM  
 Input Voltage 100-277V

2' x 4'

Model No. KLB50PLDXX24-P  
 Dimension 2X4 EDGE-LIT PANEL  
 Power 50W  
 Lumen output 6250LM  
 Input Voltage 100-277V

**EDGE-LIT**

**BACK-LIT**







# LED TROFFERS

[Get Quote](#)



2' x 4'

Model No. KLBR50TRFXX24  
Dimension 2X4 TROFFER  
Power 50W  
Lumen output 5220  
Input Voltage 100-277V



2' x 2'

Model No. KLBR40TRFXX22  
Dimension 2X2 TROFFER  
Power 40W  
Lumen output 4200LM  
Input Voltage 100-277V

## APPLICATION



## LED TUBE FIXTURES

Get Quote



8'

Model No. KLHF60T8XX8F  
 Dimension 1.3"W x 1.38"H  
 Power 60W  
 Lumen output 8400LM  
 Input Voltage 100-277V

6'

Model No. KLHF48T8XX6F  
 Dimension 1.3"W x 1.38"H  
 Power 48W  
 Lumen output 6720LM  
 Input Voltage 100-277V

5'

Model No. KLHF40T8XX5F  
 Dimension 1.3"W x 1.38"H  
 Power 40W  
 Lumen output 5600LM  
 Input Voltage 100-277V

4'

Model No. KLHF24T8XX4F  
 Dimension 1.3"W x 1.38"H  
 Power 24W  
 Lumen output 3360LM  
 Input Voltage 100-277V

## LED WRAPAROUND

Get Quote




4'

Model No. KLBR48WRXX4F  
 Dimension 5.5" W x 48" L x 1.6" H  
 Power 48W  
 Lumen output 4000LM  
 Input Voltage 100-277V

2'

Model No. KLBR25WRXX2F  
 Dimension 5.5" W x 24" L x 1.6" H  
 Power 25W  
 Lumen output 2500LM  
 Input Voltage 120V





# LED STRIP LIGHT

[Get Quote](#)



Black



Grey




White







**DOWN ONLY LIGHT**

Model No. KLHF60T8XX8F  
 Dimension 1.3"W x 1.38"H Power 60W  
 Lumen output 8400LM  
 Input Voltage 100-277V



**UP/DOWN LIGHT**

Model No. KLHF60T8XX8F  
 Dimension 1.3"W x 1.38"H Power 60W  
 Lumen output 8400LM  
 Input Voltage 100-277V



# LED STRIP LIGHT

[Get Quote](#)



**DECORATIVE END CAPS AVAILABLE IN BRONZE AND SILVER**

2'

Model No. KLBR25STPXX24  
 Dimension 5"W x 3.28"H x 24"L  
 Power 25W  
 Lumen output 2600LM  
 Input Voltage 100-277V

3'

Model No. KLBR30STPXX36  
 Dimension 5.3"W x 3.7"H x 36.6"L  
 Power 30W  
 Lumen output 3100LM  
 Input Voltage 100-277V

4'

Model No. KLBR40STPXX48  
 Dimension 5"W x 3.28"H x 48"L  
 Power 40W  
 Lumen output 4200LM  
 Input Voltage 100-277V

8'

Model No. KLBR104STPXX96  
 Dimension 5"W x 3.28"H x 96"L  
 Power 104W  
 Lumen output 10400LM  
 Input Voltage 100-277V

# LED VAPOR TIGHT LIGHT

**INDOOR/OUTDOOR APPLICATION  
IP65 RATING**

[Get Quote](#)




2'

Model No. KLBR20VTFXX2F  
 Dimension 22"L x 4.75"W x 4.25"H  
 Power 20W  
 Lumen output 2200LM  
 Input Voltage 100-277V

4'

Model No. KLBR40VTFXX4F  
 Dimension 46"L x 4.75"W x 4.25"H  
 Power 40W  
 Lumen output 4400LM  
 Input Voltage 100-277V



**APPLICATION**



# LED BATTEN LIGHT

Get Quote



2'

Model No. MC-BA-20D  
Dimension 24"L  
Power 20W  
Lumen output 2200LM  
Input Voltage 100-277V

3'

Model No. MC-BA-30D  
Dimension 36"L  
Power 30W  
Lumen output 3300LM  
Input Voltage 100-277V

4'

Model No. MC-BA-40D  
Dimension 48"L  
Power 40W  
Lumen output 4400LM  
Input Voltage 100-277V

APPLICATION



# ARCHITECTURAL LIGHTING

Get Quote

## LED BLADE LIGHT

BLACK, WHITE & WOOD GRAIN OPTION S



30W	Power 30W Lumen output 1800LM Input Voltage 100-277V
45W	Power 45W Lumen output 2700LM Input Voltage 100-277V

3' & 5' OPTION

## LED DOWN LIGHT BRIGHT MOON



- 60W
- 65W
- 80W
- 90W

## LED DOWN LIGHT FLOAT



WHITE, BLACK & SILVER OPTION S

## LED TUBES

[Get Quote](#)

2'

Model No. KLBR10T8XX2F  
 Dimension 24"L  
 Power 10W  
 Lumen output 1200LM  
 Input Voltage 100-277V

3'

Model No. KLBR15T8XX3F  
 Dimension 36"L  
 Power 15W  
 Lumen output 1800LM  
 Input Voltage 100-277V

4'

Model No. KLBR18T8XX4F  
 Dimension 48"L  
 Power 18W  
 Lumen output 2160LM  
 Input Voltage 100-277V

8'

Model No. KLBR40T8XX8F  
 Dimension 96"L  
 Power 40W  
 Lumen output 4800LM  
 Input Voltage 100-277V

## LED T5 TUBES

[Get Quote](#)

4'

Model No. KLCH25.5T5XX4F-HO  
 Dimension 48"L  
 Power 25.5W  
 Lumen output 3200-3300LM  
 Input Voltage 100-277V

## LED SINGLE-PIN TUBES

[Get Quote](#)

8'

Model No. KLBR40T8XX8F-G13  
 Dimension 96"L  
 Power 40W  
 Lumen output 4800LM  
 Input Voltage 100-277V

# LED HO ROTATING ENDS TUBE

[Get Quote](#)



8'

Model No. KLBR40T8XX8F-R17D  
 Dimension 96"L  
 Power 40W  
 Lumen output 4800LM  
 Input Voltage 100-277V

# LED COOLER DOOR LIGHTS

[Get Quote](#)



4'

Model No. KLH30RT85K4FI  
 Dimension 48"L  
 Power 30W  
 Lumen output 3600LM  
 Input Voltage 100-277V

5'

Model No. KLH40RT85K5FI  
 Dimension 60"L  
 Power 40W  
 Lumen output 4800LM  
 Input Voltage 100-277V

6'

Model No. KLH48RT85K6FI  
 Dimension 72"L  
 Power 48W  
 Lumen output 5760LM  
 Input Voltage 100-277V





## LED BULBS

Get Quote

Model No. KL-A19-9.5YYZCCTP  
Power 9.5W  
Lumen output 900LM  
Input Voltage 100-277V

Model No. KL-A19-11YYZCCTP  
Power 11W  
Lumen output 1100LM  
Input Voltage 100-277V

A19  
BULBSGU  
BULB

Model No. KL-GU10-06YYZCCTP  
Power 6.5W  
Lumen output 500LM  
Input Voltage 100-277V

Model No. KL-B11-06YYZCCTP  
Power 6W  
Lumen output 1600LM  
Input Voltage 100-277V

CANDLE  
BULBBR  
BULBS

Model No. KL-BR20-XXYYZCCTP  
Power 6.5W  
Lumen output 480LM  
Input Voltage 100-277V

BR 20

Model No. KL-BR30-XXYYZCCTP  
Power 11W  
Lumen output 800LM  
Input Voltage 100-277V

BR 30

Model No. KL-BR40-XXYYZCCTP  
Power 14W  
Lumen output 1090LM  
Input Voltage 100-277V

BR 40

PAR 20

Model No. KL-PAR20-XXYYZCCTP  
Power 6W  
Lumen output 450LM  
Input Voltage 100-277V

PAR 30

Model No. KL-PAR30-XXYYZCCTP  
Power 11W  
Lumen output 825LM  
Input Voltage 100-277V

PAR 38

Model No. KL-PAR38-XXYYZCCTP  
Power 15W  
Lumen output 1200LM  
Input Voltage 100-277V

PAR  
BULBS

OTHER BULBS NOT LISTED HERE ALSO AVAILABLE

## LED DOWN LIGHT WITH J-BOX

[Get Quote](#)

4"

Model No. D404-N-KT-XXXX  
 Power 10W  
 Lumen output 700-800LM  
 Input Voltage 100-277V  
 Dimension Ø5" x 4"H



6"

Model No. D316-N-XXXX  
 Power 13W  
 Lumen output 1000-1150M  
 Input Voltage 120V  
 Dimension Ø7.7" x 4.5"H

Model No. D404-N-KT-XXXX  
 Power 10W  
 Lumen output 700-800LM  
 Input Voltage 100-277V  
 Dimension Ø5" x 4"H

8"



Model No. D316-N-XXXX  
 Power 13W  
 Lumen output 1000-1150M  
 Input Voltage 120V  
 Dimension Ø7.7" x 4.5"H

10"



# LED ROUND & SQUARE DOWN LIGHT

[Get Quote](#)



4"

Model No. KL09DLXX4I  
Power 9W  
Lumen output 720-820LM  
Dimension Ø5" x 3.2"H

6"

Model No. KL13DLXX6I  
Power 13W  
Lumen output 1000-1100M  
Dimension Ø7.5" x 3.4"H



4"

Model No. D724-90-XXXX  
Dimension 5"L x 5" W x 1.8"H  
Power 9W  
Lumen output 600LM

6"

Model No. D726-90-XXXX  
Dimension 7.3"L x 7.3" W x 0.5"H  
Power 12W  
Lumen output 950LM

# LED GUM-BALL DOWN LIGHT

[Get Quote](#)

Model No. D504-90-XXXX  
Dimension Ø5.4" x 3.0"H  
Power 10W  
Lumen output 700-740LM

4"

Model No. D506-90-XXXX  
Dimension Ø7.7"L x 3.0"H  
Power 10/15W  
Lumen output 700-740/1050-1100LM

6"



## LED INTERNAL DRIVER FLAT PANEL

[Get Quote](#)

4"

Model No. KLBR06FDLXX4I  
 Dimension Ø5.3" x 0.5"H  
 Power 6W  
 Lumen output 500LM

6"

Model No. KLBR12FDLXX6I  
 Dimension Ø7" x 0.5"H  
 Power 12W  
 Lumen output 960LM

8"

Model No. KLBR18FDLXX8I  
 Dimension Ø8.8" x 0.5"H  
 Power 18W  
 Lumen output 1530LM

10"

Model No. KLBR24FDLXX10I  
 Dimension Ø11.8" x 0.5"H  
 Power 24W  
 Lumen output 2160LM

## LED EXTERNAL DRIVER FLAT PANEL

[Get Quote](#)

Model No. KLBR09FDLXX4I  
 Dimension Ø4.7" x 0.5"H  
 Power 9W  
 Lumen output 700LM

4"

Model No. KLBR12FDLXX6I  
 Dimension Ø6.8" x 0.5"H  
 Power 12W  
 Lumen output 1050LM

6"

Model No. KLBR20FDLXX8I  
 Dimension Ø8.7" x 0.5"H  
 Power 20W  
 Lumen output 1350LM

8"

# EXTERIOR LIGHTS



## LED PARKING LOT LIGHTS

[Get Quote](#)

BLACK/WHITE/BRONZE COLOR OPTIONS  
 PHOTOCELL/NON-PHOTOCELL OPTION  
 HIGH/LOW VOLTAGE OPTION  
 ALL OPTIONS IN STOCK

**80W/100/150W**

Model No. KLBR80SB-X-XX  
 Dimension 13.4" x 15.4" x 3.15"  
 Power 80W  
 Lumen output 10000LM

Model No. KLBR150SB-X-XX  
 Dimension 13.4" x 15.4" x 3.15"  
 Power 100W  
 Lumen output 12500LM

Model No. KLBR150SB-X-XX  
 Dimension 13.4" x 15.4" x 3.15"  
 Power 150W  
 Lumen output 18750LM

**200/240W**

Model No. KLBR200SB-X-XX  
 Dimension 21.3" x 15.4" x 3.15"  
 Power 200W  
 Lumen output 25000LM

Model No. KLBR240SB-X-XX  
 Dimension 21.3" x 15.4" x 3.15"  
 Power 240W  
 Lumen output 30000LM

**300W**

Model No. KLBR300SB-X-XX  
 Dimension 25.2" x 15.4" x 3.15"  
 Power 300W  
 Lumen output 37500LM

**450W**

Model No. KLAST450WSBXX  
 Dimension 36" x 13.3" x 3.7"  
 Power 450W  
 Lumen output 54000-607500LM

Get Quote

# LED PARKING LOT LIGHT

# MOUNTING OPTIONS

### Accessories

#### Photocell Options:



Photocell



Shorting Cap

#### Mounting Adaptor Options:



Type S Street Pole



Type A Slip Fitter



Type G Square pole



Type C Trunnion



Type H Round Pole

## APPLICATION



# LED POST TOP LIGHT

Get Quote

Model No. KL75SGFXX  
Dimension 25.5" x 17.5"  
Power 75W  
Lumen output 8429LM

## 75W

**ALSO AVAILABLE IN OTHER WATTAGES**



## LED SLIM CANOPY LIGHT

Get Quote



130W

Model No. KL130CPXX-SLIM  
 Dimension 15" x 15" x 2.8"  
 Power 130W  
 Lumen output 16900LM

## LED ROUND CANOPY LIGHT

Get Quote

Model No. KLBR40W277CXX  
 Dimension Ø11.4" x 3.13"H  
 Power 40W  
 Lumen output 5200LM

40W

Model No. KLBR80W277CXX  
 Dimension Ø11.4" x 3.13"H  
 Power 80W  
 Lumen output 10400LM

80W



### APPLICATION





# LED SQUARE CANOPY LIGHT

[Get Quote](#)



55W

Model No. KLSN55CPXX-LYRA1  
 Dimension 8.9"L x 8.9"W x 4.5"H  
 Power 55W  
 Lumen output 6900-7450LM

75W


Model No. KLSN75CPXX-LYRA1  
 Dimension 10"L x 10"W x 6.1"H  
 Power 75W  
 Lumen output 9400-10000LM

# LED 23" EXTERNAL DRIVER PLATE CANOPY

[Get Quote](#)

Model No. KL-CP-150W-H3-M2-N-XX  
 Input Voltage 100-277V  
 Power 150W  
 Lumen output 19000-20000LM

150W



JUNCTION BOX EQUIPPED



# LED SOFFIT LIGHT

Get Quote



40W




White Plate



Bronze Plate

Model No. KL-SF-SERIES  
 Dimension Variety sizes  
 Power 40W  
 Lumen output 5600LM

## SERIES SIZE OPTIONS



## APPLICATIONS



Under Soffit



Gas Station



Enterway



# LED MINI WALLPACK LIGHTS

Get Quote



9W

Model No. KLSN9WPXX  
Dimension 8.6"L x 5.8"W x 2.9"H  
Power 9W  
Lumen output 940-1000LM

Model No. KLBR18WPXX  
Dimension 9.1"L x 6.0"W x 3.6"H  
Power 18W  
Lumen output 2000LM

18W



APPLICATION

## LED SEMI CUT-OFF WALLPACK LIGHTS

[Get Quote](#)

60W

Model No. KL60SWPXX-R  
 Dimension 14.2" x 9.3" x 7.6"  
 Power 60W  
 Lumen output 6600-7200LM

80W

Model No. KL80SWPXX-R  
 Dimension 14.2" x 9.3" x 7.7"  
 Power 80W  
 Lumen output 9200-10000LM

120W

Model No. KL120SWPXXA-4G  
 Dimension 18.1" x 9.8" x 8.8"  
 Power 120W  
 Lumen output 13800-15000LM

## APPLICATION



## LED FULL CUT-OFF WALLPACK LIGHTS

[Get Quote](#)

40W

Model No. KLSN40FWPXX-CT4A1  
 Voltage Input 100-277V  
 Power 40W  
 Lumen output 4400-4800LM

60W

Model No. KLSN60FWPXX-CT4A1  
 Voltage Input 100-277V  
 Power 60W  
 Lumen output 6900-7500LM

80W

Model No. KLSN80FWPXX-CT4A1  
 Input Voltage 100-277V  
 Power 80W  
 Lumen output 9200-10250LM

120W

Model No. KLSN120FWPXX-CT4A1  
 Input Voltage 100-277V  
 Power 120W  
 Lumen output 14400-15600LM

## LED FLOOD LIGHTS

[Get Quote](#)

30W

Model No. KLSN30FLXX-CT1A1  
 Input Voltage 100-277V  
 Power 30W  
 Lumen output 3450-3750LM

50W

Model No. KLSN30FLXX-CT1A1  
 Input Voltage 100-277V  
 Power 50W  
 Lumen output 5750-6250LM

AVAILABLE MOUNTING OPTIONS



# LED UP AND DOWN / UP OR DOWN ONLY SCONCE LIGHTS

Get Quote

AVAILABLE WATTAGES

One Direction

Two Directions



- 9W
- 12W
- 18W
- 20W
- 24W
- 30W
- 36W

- 9W X2 (18W total)
- 12W X2 (24W total)
- 18W X2 (36W total)
- 20W X2 (40W total)
- 24W X2 (48W total)
- 30W X2 (60W total)
- 36W X2 (72W total)



# LED BARN LIGHTS

Get Quote



35W

Model No. KLBR35BNXX  
Dimension Ø6.5" x 10.3" x 5.5"  
Power 35W  
Lumen output 3700LM

Model No. KLBR42BNXX  
Dimension Ø10" x 13.8" x 5.2"  
Power 42W  
Lumen output 5250LM

42W

Model No. KLBR58BNXX  
Dimension Ø10" x 13.8" x 5.2"  
Power 58W  
Lumen output 7250LM

58W



## APPLICATION



# LED GOOSE NECK LIGHT

Get Quote



35W

Model No. KLBR35BNXX  
Dimension Ø6.5" x 10.3" x 5.5"  
Power 35W  
Lumen output 3700LM

Model No. KLBR42BNXX  
Dimension Ø10" x 13.8" x 5.2"  
Power 42W  
Lumen output 5250LM

42W



BLACK



BRONZE



WHITE

COLOR OPTIONS

APPLICATION







# LED RETROS

[Get Quote](#)



**80W**

Model No. KL80SRKPXX  
 Voltage Input 100-277 OR 200-480V  
 Power 80W  
 Lumen output 8000-10800LM

**120W**

Model No. KL120SRKPXX  
 Voltage Input 100-277 OR 200-480V  
 Power 120W  
 Lumen output 12000-16200LM

**150W**

Model No. KL150SRKXX  
 Input Voltage 100-277 OR 200-480V  
 Power 150W  
 Lumen output 14500-17200LM

**240W**

Model No. KL240SRKXX  
 Input Voltage 100-277 OR 200-480V  
 Power 240W  
 Lumen output 22000-28000LM

AVAILABLE IN HIGH VOLTAGE

# LED CORN POST-TOP LAMPS

[Get Quote](#)



**40W**

Model No. KLSN40TCLXX-BLYA1E  
 Dimension Ø5.1" x 7.0"  
 Power 40W  
 Lumen output 4400-4800LM

## LED CORN LAMPS

Get Quote

ALL CORN BULBS ARE AVAILABLE IN WATERPROOF AND NON-WATERPROOF OPTIONS



20W

Model No. KL20CRNXX  
 Dimension Ø3.6" x 7.1"  
 Power 20W  
 Lumen output 2150-2300LM

40W

Model No. KL40CRNXX  
 Dimension Ø3.6" x 10.2"  
 Power 40W  
 Lumen output 4300-4600LM

60W

Model No. KL60CRNXX  
 Dimension Ø3.6" x 10.2"  
 Power 60W  
 Lumen output 6400-6600LM

80W

Model No. KL80CRNXX  
 Dimension Ø4.9" x 10.6"  
 Power 80W  
 Lumen output 9000-9600LM

120W

Model No. KL120CRNXX  
 Dimension Ø4.9" x 12.2"  
 Power 120W  
 Lumen output 13500-14400LM


150W

Model No. KL150CRNXX  
 Dimension Ø4.9" x 13.9"  
 Power 150W  
 Lumen output 16500-17400LM



# LED GAS PRICE CHANGER

Get Quote



GREEN, RED, WHITE COLOR OPTIONS

LED Quantity	Red		Green/White		Net Weight (per face)	
	Max Watt	Min. Intensity	Max Watt	Min. Intensity		
12"	534	33.2 W	2670 cd	48 W	4272 cd	27 lb
16"	1041	60.5 W	5205 cd	87.4 W	8328 cd	45 lb
18"	1146	66.2 W	5730 cd	97.4 W	9168 cd	54 lb
20"	1164	66.2 W	5820 cd	95.8 W	9312 cd	67 lb
24"	1959	113.4 W	9795 cd	159.6 W	15672 cd	95 lb
32"	2532	143.6 W	12660 cd	208 W	20256 cd	155 lb

## LED SIGN TUBES

Get Quote

## GENERATION 1



SIZES POWER LUMENS

F18 7 910

F24 7 910

F30 16 910

F36 16 910

F42 21 2700

F48 21 2730

F60 28 3640

F64 28 3640

F72 38 4750

F84 38 4750

F96 51 6630

F108 51 6630

F117 60 8450

F120 60 8450

PATENTED  
PRODUCT

## GENERATION





## A COMPLETE GAME CHANGER!


Our patented LED Sign tubes offer better heat dissipation, more vibrant lighting, more durability and a significant cost savings over the life of your sign. Installation is easy. Simply cut the power, remove the old bulbs, cut the power leads to the existing ballast and remove the ballast entirely, insert our new patented tubes and connect them with the easy to use power cable, wire the proper power supply leads to the corresponding wires to the new power supply cable and close the sign case to finish your simple installation. Our revolutionary design enables you to spend less time on the sign installation and more time making sure your job is right the first time.

# LED DIGITAL DISPLAYS


Get Quote




SMD 10mm




SMD 8mm




SMD 6.67mm



DIP 16mm




DIP 13.3mm



DIP 10mm

**MULTIPLE CONFIGURATIONS CAN BE ATTAINED, LARGE AND SMALL, FOR ANY SIZE DISPLAY WITH OUR MODULE BOARD OPTIONS**

LED DIGITAL DISPLAYS



Optically - Optimized Mask with high quality GE plastics

Gold wire bonding LEDs

Fastener

Safety cable bolt

Power & Signal connector (Integrated redundant connectors)

Handle

Alignment pin

Rubber seal

High performance solid components  
Impeccable soldering & Silver contained solder

1.6mm 4 copper layer PCB (1 oz copper per sq.f)

SIMPLY BEST QUALITY

## LED BACK-LIT MIRRORS

Get Quote



Model No. KL-VML-XXXX

Dimension Available in multiple sizes

5mm frame; anti-fog coating glass

mirror Backed with shatter proof

film; rust-resistant

Model Number	Mirror Dimension (in)	Wattage	Tubes Needed	Stock
KL-VML3042	30X42	50W	(2) 30" tubes (2) 42" tubes	In Stock
KL-VML3048	30X48	56W	(2) 30" tubes (2) 4' tubes	Special Order
KL-VML3054	30X54	56W	(2) 30" tubes (2) 4' tubes	In Stock
KL-VML3636	36X36	60W	(4) 3' tubes	In Stock
KL-VML3648	36X48	66W	(2) 3' tubes (2) 4' tubes	Special Order
KL-VML3654	36X54	66W	(2) 3' tubes (2) 4' tubes	Special Order
KL-VML4242	42X42	60W	(4) 42" tubes	In Stock
KL-VML4254	42X54	66W	(2) 42" tubes (2) 4' tubes	In Stock
KL-VML4848	48X48	72W	(4) 4' tubes	Special Order
KL-VML5454	54X54	72W	(4) 4' tubes	Special Order

EASY INSTALL

# LED VERTICAL CUT-OUT BACK-LIT MIRRORS

Get Quote



Input Voltage 120V AC, 50/60Hz

Overall Size H40" x W30" x 2.8"

IP20 rating

Ecological 5mm silvering glass mirror, condensation-free, pencil polished edge & safe corners, 35mm left & right sandblasted bands, finger-print protection, backed with shatter-proof film

2 x 10W T8 LED tubes (excluded)

Extruded aluminum chassis in white powder coating, key-hole slots for easy mirror installation and maintenance

Suitable for both landscape and portrait style installation

Lead cable for mains power connection

Mounting accessories attached, mini bubble level included



# LED SPORTS FIELD LIGHTS





**GEN 1**

Model No. KLHD-SP-300W  
 Dimension Ø14.2" x 18.9"  
 Power 300W  
 Lumen output 39000LM

**300W**

Model No. KLHD-SP-400W  
 Dimension Ø14.2" x 18.9"  
 Power 400W  
 Lumen output 52000LM

**400W**

Model No. KLHD-SP-500W  
 Dimension Ø14.2" x 18.9"  
 Power 500W  
 Lumen output 65000LM

**500W**

Model No. KLHD-SP-750W  
 Dimension Ø18.6" x 22.9"  
 Power 750W  
 Lumen output 90000LM

**750W**

Model No. KLHD-SP-1000W  
 Dimension Ø18.6" x 22.9"  
 Power 1000W  
 Lumen output 120000LM

**1000W**

Model No. KLHD-SP-1250W  
 Dimension Ø18.6" x 22.9"  
 Power 1250W  
 Lumen output 148000LM

**1250W**

**GEN 2**

Model No. KLHD-SP-300W  
 Dimension Ø14.5" x 15.7"  
 Power 300W  
 Lumen output 39000LM

Model No. KLHD-SP-400W  
 Dimension Ø14.5" x 15.7"  
 Power 400W  
 Lumen output 52000LM

Model No. KLHD-SP-500W  
 Dimension Ø14.5" x 15.7"  
 Power 500W  
 Lumen output 65000LM

Model No. KLHD-SP-750W  
 Dimension Ø18.7" x 19.7"  
 Power 750W  
 Lumen output 97500LM

Model No. KLHD-SP-1000W  
 Dimension Ø18.7" x 19.7"  
 Power 1000W  
 Lumen output 130000LM

Model No. KLHD-SP-1250W  
 Dimension Ø18.7" x 19.7"  
 Power 1250W  
 Lumen output 162500LM

Get Quote

LED SPORTS FIELD LIGHTING



LED SPORTS FIELD LIGHTING

**SOLID STATE DESIGN**

Unique "SSD" design, simply & Advance,  
No components are non-removable,  
ensures durability of led chip.  
All parts are individual, rugged and strong

**SMALL ELECTRON  
GREAT POWER**

Adoption advanced technology,  
photoelectric conversion in most efficient  
method, energy saving, and producing more  
lights out

**NO ELECTRICAL INTERFERENCE**

State-of-the art circuit system woking perfect with other systems,  
Ultra-low EMI noise generation eliminating electrical interference

**THERMAL  
MANAGMENT**


Seamless link of aerometal materials  
and numerous vents on  
heat sink improved heat  
management, keeps away from all  
field heat, ensures the stability of light  
system

**CONTROL SYSTEM**


Optimized for live broadcast system by  
wireless data transmission makes easily  
on color tuning and dim options,Real time  
monitoring are available on the working  
status and performance of every fixtures,  
recognize potential problems.

**EASY OF INSTALLATION**

Adjustable beam angle,up to 240°



Products are designed with seamless  
combination of advanced free forms optics  
and structure. Unique micro multi facet Optic  
design makes the light uniformity even and  
reduced glare.  
Advanced material maximizes light  
transmittance.



APPLICATION



# IP65 EXTERIOR COMPATIBLE HIGHBAY

[Get Quote](#)


## APPLICATION

### 240W

Model No. KLHBL-240W  
 Dimension  $\varnothing 12.6'' \times 6''$   
 Power 240W  
 Lumen output 31200LM

### 300W

Model No. KLHBL-300W  
 Dimension  $\varnothing 12.6'' \times 6.2''$   
 Power 300W  
 Lumen output 39000LM

### 400W

Model No. KLHBL-400W  
 Dimension  $\varnothing 14.2'' \times 8.5''$   
 Power 400W  
 Lumen output 52000LM

### 500W

Model No. KLHBL-500W  
 Dimension  $\varnothing 14.2'' \times 8.5''$   
 Power 500W  
 Lumen output 65000LM





# COMING SOON

---

**PANEL/TROFFER DOOR**

**MODULAR PARKING LOT LIGHTS**

**MODULAR HIGHBAYS**

**POLES, ADAPTORS & BULLHORNS**

KRUT LED™ LLC

[www.krut-led.com](http://www.krut-led.com)

---

111 Preamble Ct.  
Anderson, SC-29621

Phone: 864-401-8156

Email: [sales@krut-led.com](mailto:sales@krut-led.com)

